TIFNEX™

PRODUCT CATALOG | 2026

THE FUTURE RUNS ON ~ CONNECTION.

TIFNEX BUILDS IT.

Fiber infrastructure for data centers, AI and the networks behind them: optical transceivers, AOC & DAC cables, fiber cabling and cabinets.

Dubai	**Cairo**	**Guangzhou**	**tifnex.com**
Head office	Branch	Sourcing hub	Quote within 24 hours



ABOUT

BEHIND EVERY ~ CONNECTION.

TIFNEX is built for the speed behind the world. Not the part people see, but the part that keeps everything moving. From data centers to AI infrastructure, we connect the systems that can't afford to slow down.

WHO WE ARE

THE CONNECTIVITY PARTNER ~ BEHIND MODERN NETWORKS

TIFNEX is an IT and data center infrastructure company serving enterprises across the UAE and Egypt with the optical, networking and connectivity technology that modern networks depend on. From optical transceivers and DAC/AOC cabling to complete data center connectivity, we help organizations design, source and deploy infrastructure that performs, validated for compatibility with Cisco, Arista, NVIDIA and Juniper.

Headquartered in Dubai with branches in Cairo and Guangzhou, we pair deep technical expertise with fast and reliable supply, so your network is never waiting on the parts that keep it running.

MISSION

To give every organization access to reliable, high-performance network infrastructure, with the products, compatibility and engineering support to deploy it with confidence.

VISION

To be the most trusted connectivity partner across the Middle East and North Africa, powering the networks behind the region's digital and AI-driven future.

500+
Clients served

1.6T
Speed capability

24/7
Support

3
Offices: Dubai, Cairo, Guangzhou

OUR VALUES

WHAT DRIVES ~ EVERYTHING WE BUILD

01

Precision engineering

Every product is validated to perform in the most demanding network environments.

02

Customer obsession

We help organizations design, source and deploy the right infrastructure for their needs.

03

Speed of trust

Fast lead times, transparent pricing and engineering support you can rely on.

04

Scalable by design

From a single module to a full data center deployment, our solutions grow with you.

05

Global compatibility

From Cisco and Arista to NVIDIA and Juniper, products integrate across leading platforms.

06

Future readiness

From AI infrastructure to 1.6T, we stay ahead of the technology curve.

WHY TIFNEX

WHY TEAMS ~ CHOOSE US

Guaranteed compatibility

Tested against leading platforms such as Cisco, Arista, NVIDIA and Juniper, so it works the first time.

Fast, reliable supply


Short lead times and dependable stock keep your rollout on schedule.

Transparent pricing

Clear, honest pricing with no surprises.

Real engineering support

Talk to people who understand your network and help you specify, source and deploy it right.



Validated for leading platforms Cisco · Arista · NVIDIA / Mellanox · Juniper · Dell · HPE · Extreme · Brocade

OUR LOCATIONS

THREE OFFICES ~ ONE TEAM.

Serving the UAE, the GCC, Egypt, North Africa and Asia from Dubai, Cairo and Guangzhou.



HEAD OFFICE

Dubai, UAE

- Al Dana Center, Office 109, Deira, Dubai
- +971 54 300 8970
- info@tifnex.com
- Regional hub for the UAE and the wider GCC

BRANCH

Cairo, Egypt

- Ashgar Darna, Zahraa Al Maadi, Cairo
- +20 122 238 8821
- Serving Egypt and the North Africa market

SOURCING & SUPPLY HUB

Guangzhou, China

- Guangzhou, China
- Sourcing and supply for China and the wider Asia market

CATALOG MAP

FIND IT ~ IN 5 SECTIONS

02 About TIFNEX 03 Values 04 Locations 23 Contact

01 InfiniBand & AI Networking

PAGES 06–10



06 800G InfiniBand NDR



07 400G NDR & Immersion Cooling



08 NDR Copper Cables



09 200G InfiniBand HDR



10 100G InfiniBand EDR

02 Ethernet Optical Transceivers

PAGES 11–16



11 1.6T / 800G Ethernet



12 400G QSFP-DD



13 400G QSFP112 / OSFP



14 Coherent & WDM



15 100G / 40G / 25G



16 10G SFP+ & BiDi

03 AOC & DAC Cables

PAGES 17–19



17 Active Optical Cables




18 DAC & AEC Cables



19 Breakout Cables

04 Fiber & Copper Patch Cables

PAGES 20–21



20 Fiber Patch Cables



21 MPO/MTP Cabling

05 Cabinets & Racks

PAGE 22



22 Cabinets & Racks



01

INFINIBAND & AI ~ NETWORKING

NDR, HDR and EDR optics and cables for GPU clusters and AI fabrics.

800G InfiniBand NDR 06

400G NDR & Immersion Cooling 07

NDR Copper Cables 08

200G InfiniBand HDR 09

100G InfiniBand EDR 10

01 ~ INFINIBAND & AI NETWORKING

800G ~ INFINIBAND NDR

Twin-port 800G OSFP optics for NDR fabrics, coded and tested for NVIDIA Quantum-2 switches and ConnectX-7 adapters.



800G · OSFP

800G OSFP 2xSR4

NVIDIA-compatible

P/N **TFX-00121**

Data rate	800G	Form factor	OSFP
Standard	2×SR4 / SR8	Wavelength	850nm
Reach	50m	Fiber	Multimode (MMF)
Connector	2× MPO-12 APC		



800G · OSFP

800G OSFP 2xDR4

NVIDIA-compatible · replaces MMS4X00-NS-FLT

P/N **TFX-00138**

Data rate	800G	Form factor	OSFP
Standard	2×DR4 / DR8	Wavelength	1310nm
Reach	100m	Fiber	Single-mode (SMF)
Connector	2× MPO-12 APC		



800G · OSFP

800G OSFP 2xFR4

NVIDIA-compatible · replaces MMS4X50-NM

P/N **TFX-00143**

Data rate	800G	Form factor	OSFP
Standard	2×FR4	Wavelength	1310nm
Reach	2km	Fiber	Single-mode (SMF)
Connector	2× LC duplex		

01 ~ INFINIBAND & AI NETWORKING

400G ~ NDR & IMMERSION COOLING

Single-port 400G OSFP optics for adapters, longer-reach 800G, and modules built for immersion-cooled racks.



800G · OSFP

800G OSFP 2xDR4 · 500m

NVIDIA-compatible · replaces M...

P/N **TFX-00135**

Data rate	800G
Form factor	OSFP
Standard	2×DR4 / DR8
Wavelength	1310nm
Reach	500m
Fiber	Single-mode (SMF)
Connector	2× MPO-12 APC



400G · OSFP

400G OSFP SR4

NVIDIA-compatible

P/N **TFX-02171**

Data rate	400G
Form factor	OSFP
Standard	SR4
Wavelength	850nm
Reach	50m
Fiber	Multimode (MMF)
Connector	MPO-12 APC



400G · OSFP

400G OSFP DR4

NVIDIA-compatible · replaces M...

P/N **TFX-00141**

Data rate	400G
Form factor	OSFP
Standard	DR4
Wavelength	1310nm
Reach	500m
Fiber	Single-mode (SMF)
Connector	MPO-12 APC



800G · OSFP

800G OSFP 2xSR4 · Immersion

NVIDIA-compatible

P/N **TFX-00111**

Data rate	800G
Form factor	OSFP
Standard	2×SR4 / SR8
Wavelength	850nm
Reach	100m
Fiber	Multimode (MMF)
Connector	2× MPO-12 APC

01 ~ INFINIBAND & AI NETWORKING

NDR COPPER ~ CABLES

Passive DAC and active copper for the shortest, lowest-power links inside the rack and between neighbouring racks.



800G · OSFP

800G OSFP DAC

NVIDIA-compatible

P/N **TFX-02986**

Type	**Passive DAC**
Data rate	**800G**
Connectors	**OSFP**
Ends	**Straight**
Length	**3 m · other lengths**



800G · OSFP

800G OSFP to 2x400G OSFP DAC

NVIDIA-compatible · replaces M...

P/N **TFX-03005**

Type	**Passive DAC**
Data rate	**800G**
Connectors	**OSFP**
Ends	**1-to-2 breakout**
Length	**3 m · other lengths**



800G · OSFP

800G OSFP to 4x200G OSFP DAC

NVIDIA-compatible · replaces M...

P/N **TFX-03008**

Type	**Passive DAC**
Data rate	**800G**
Connectors	**OSFP**
Ends	**1-to-4 breakout**
Length	**3 m · other lengths**



800G · OSFP

800G OSFP to 2x400G OSFP ACC

NVIDIA-compatible · replaces (98...

P/N **TFX-02873**

Type	**ACC (active copper)**
Data rate	**800G**
Connectors	**OSFP**
Ends	**1-to-2 breakout**
Length	**3 m · other lengths**
Protocol	**InfiniBand**

01 ~ INFINIBAND & AI NETWORKING

200G ~ INFINIBAND HDR

HDR optics, active optical cables and splitters for 200G clusters and HDR-to-NDR migrations.



200G · QSFP56

200G QSFP56 SR4

NVIDIA-compatible · replaces MM...

P/N **TFX-01767**

Data rate	200G
Form factor	QSFP56
Standard	SR4
Wavelength	850nm
Reach	100m
Fiber	Multimode (MMF)
Connector	MPO-12 APC



200G · QSFP56

200G QSFP56 AOC

NVIDIA-compatible · replaces MF...

P/N **TFX-02816**

Type	Active optical (AOC)
Data rate	200G
Connectors	QSFP56
Ends	Straight
Length	100 m · other lengths
Protocol	InfiniBand



200G · QSFP56

200G QSFP56 to 2x100G AOC

NVIDIA-compatible · replaces MF...

P/N **TFX-03639**

Type	Active optical (AOC)
Data rate	200G
Connectors	QSFP56
Ends	1-to-2 breakout
Length	2 m · other lengths
Protocol	Ethernet



400G · OSFP

400G OSFP to 2x200G QSFP56 DAC

NVIDIA-compatible · replaces MC...

P/N **TFX-02912**

Type	Passive DAC
Data rate	400G
Connectors	OSFP → QSFP56
Ends	1-to-2 breakout
Length	3 m · other lengths
Protocol	InfiniBand

01 ~ INFINIBAND & AI NETWORKING

100G ~ INFINIBAND EDR

EDR and 100G Ethernet optics and cables for existing clusters and storage networks.



100G · QSFP28

100G QSFP28 SR4

Cisco-compatible

P/N **TFX-00821**

Data rate	100G
Form factor	QSFP28
Standard	SR4
Wavelength	850nm
Reach	100m
Fiber	Multimode (MMF)
Connector	MPO-12



100G · QSFP28

100G QSFP28 CWDM4

Cisco-compatible

P/N **TFX-00810**

Data rate	100G
Form factor	QSFP28
Standard	CWDM4
Wavelength	1310nm
Reach	2km
Fiber	Single-mode (SMF)
Connector	LC duplex



100G · QSFP28

100G QSFP28 AOC

NVIDIA-compatible · replaces MF...

P/N **TFX-02780**

Type	Active optical (AOC)
Data rate	100G
Connectors	QSFP28
Ends	Straight
Length	100 m · other lengths
Protocol	InfiniBand



100G · QSFP28

100G QSFP28 DAC

Cisco-compatible · replaces QSF...

P/N **TFX-02953**

Type	Passive DAC
Data rate	100G
Connectors	QSFP28
Ends	Straight
Length	3 m · other lengths

02 ~ ETHERNET OPTICAL TRANSCEIVERS

1.6T / 800G ~ ETHERNET

The newest OSFP224 and OSFP optics for 800G and 1.6T Ethernet spines and AI back-end networks.



1.6T · OSFP224

1.6T OSFP224 2xDR4

NVIDIA-compatible · replaces (980-9IAH0-00XM00)

P/N **TFX-00007**

Data rate	1.6T	Form factor	OSFP224
Standard	2×DR4 / DR8	Wavelength	1310nm
Reach	500m	Fiber	Single-mode (SMF)
Connector	2× MPO-12 APC		



800G · OSFP

800G OSFP 2xDR4 · Silicon Photonics

Multi-vendor compatible

P/N **TFX-00074**

Data rate	800G	Form factor	OSFP
Standard	2×DR4 / DR8	Wavelength	1310nm
Reach	500m	Fiber	Single-mode (SMF)
Connector	2× MPO-12 APC		



800G · OSFP

800G OSFP 2xFR4

Cisco-compatible

P/N **TFX-00035**

Data rate	800G	Form factor	OSFP
Standard	2×FR4	Wavelength	1310nm
Reach	2km	Fiber	Single-mode (SMF)
Connector	2× LC duplex		

02

ETHERNET OPTICAL ~ TRANSCEIVERS

From 1.6T OSFP224 down to 10G SFP+, for every data center and campus link.

1.6T / 800G Ethernet 11

400G QSFP-DD 12

400G QSFP112 / OSFP 13

Coherent & WDM 14

100G / 40G / 25G 15

10G SFP+ & BiDi 16

02 ~ ETHERNET OPTICAL TRANSCEIVERS

400G ~ QSFP-DD

QSFP-DD optics for 400G Ethernet leaf-spine, data center interconnect and coherent links.



400G · QSFP-DD

400G QSFP-DD SR4

Cisco-compatible

P/N **TFX-00039**

Data rate	400G
Form factor	QSFP-DD
Standard	SR4
Wavelength	850nm
Reach	100m
Fiber	Multimode (MMF)
Connector	MPO-12



400G · QSFP-DD

400G QSFP-DD DR4

Cisco-compatible · replaces QDD...

P/N **TFX-00044**

Data rate	400G
Form factor	QSFP-DD
Standard	DR4
Wavelength	1310nm
Reach	500m
Fiber	Single-mode (SMF)
Connector	MPO-12 APC



400G · QSFP-DD

400G QSFP-DD XDR4

Arista-compatible · replaces 400...

P/N **TFX-00011**

Data rate	400G
Form factor	QSFP-DD
Standard	XDR4
Wavelength	1310nm
Reach	2km
Fiber	Single-mode (SMF)
Connector	MPO-12



400G · QSFP-DD

400G QSFP-DD ZR+ · High Power

Arista-compatible · replaces QD...

P/N **TFX-00029**

Data rate	400G
Form factor	QSFP-DD
Standard	ZR+
Reach	40km
Fiber	Single-mode (SMF)
Connector	LC duplex
Type	DCO, tunable DWDM

02 ~ ETHERNET OPTICAL TRANSCEIVERS

400G ~ QSFP112 / OSFP

QSFP112 and OSFP optics for 400G NIC and switch ports.



400G · QSFP112

400G QSFP112 SR4

Cisco-compatible

P/N **TFX-00040**

Data rate	400G
Form factor	QSFP112
Standard	SR4
Wavelength	850nm
Reach	100m
Fiber	Multimode (MMF)
Connector	MPO-12 APC



400G · QSFP112

400G QSFP112 VR4

Cisco-compatible

P/N **TFX-00037**

Data rate	400G
Form factor	QSFP112
Standard	VR4
Wavelength	850nm
Reach	50m
Fiber	Multimode (MMF)
Connector	MPO-12 APC



400G · QSFP112

400G QSFP112 DR4

Cisco-compatible · replaces QSF...

P/N **TFX-00051**

Data rate	400G
Form factor	QSFP112
Standard	DR4
Wavelength	1310nm
Reach	500m
Fiber	Single-mode (SMF)
Connector	MPO-12 APC



400G · OSFP

400G OSFP SR4

Cisco-compatible

P/N **TFX-00038**

Data rate	400G
Form factor	OSFP
Standard	SR4
Wavelength	850nm
Reach	100m
Fiber	Multimode (MMF)
Connector	MPO-12 APC

02 ~ ETHERNET OPTICAL TRANSCEIVERS

COHERENT & WDM

Tunable coherent DCO optics and fixed-wavelength DWDM / CWDM modules for metro and campus fibre.



400G · QSFP-DD

400G QSFP-DD ZR

Arista-compatible · replaces QD...

P/N **TFX-00028**

Data rate	400G
Form factor	QSFP-DD
Standard	ZR
Reach	40km
Fiber	Single-mode (SMF)
Connector	LC duplex
Type	DCO, tunable DWDM



400G · QSFP-DD

400G QSFP-DD ZR+

Dell-compatible · replaces 400G...

P/N **TFX-00054**

Data rate	400G
Form factor	QSFP-DD
Standard	ZR+
Reach	40km
Fiber	Single-mode (SMF)
Connector	LC duplex
Type	DCO, tunable DWDM



10G · SFP+

10G SFP+ DWDM

NVIDIA-compatible

P/N **TFX-02736**

Data rate	10G
Form factor	SFP+
Standard	DWDM
Wavelength	1531.12nm
Reach	100km
Fiber	Single-mode (SMF)
Connector	LC duplex



25G · SFP28

25G SFP28 CWDM

NVIDIA-compatible

P/N **TFX-02737**

Data rate	25G
Form factor	SFP28
Standard	CWDM
Wavelength	1270nm
Reach	10km
Fiber	Single-mode (SMF)
Connector	LC duplex

02 ~ ETHERNET OPTICAL TRANSCEIVERS

100G / 40G / 25G

Proven optics for 100G uplinks, 40G aggregation and 25G server access.



100G · QSFP28

100G QSFP28 LR4

Cisco-compatible · replaces QSF...

P/N **TFX-00890**

Data rate	100G
Form factor	QSFP28
Standard	LR4
Wavelength	1310nm
Reach	10km
Fiber	Single-mode (SMF)
Connector	LC duplex



40G · QSFP+

40G QSFP+ SR4

Brocade-compatible · replaces 40...

P/N **TFX-00762**

Data rate	40G
Form factor	QSFP+
Standard	SR4
Wavelength	850nm
Reach	150m
Fiber	Multimode (MMF)
Connector	MPO-12



25G · SFP28

25G SFP28 SR

Cisco-compatible

P/N **TFX-00798**

Data rate	25G
Form factor	SFP28
Standard	SR
Wavelength	850nm
Reach	100m
Fiber	Multimode (MMF)
Connector	LC duplex



25G · SFP28

25G SFP28 LR

Cisco-compatible · replaces SFP-1...

P/N **TFX-01506**

Data rate	25G
Form factor	SFP28
Standard	LR
Wavelength	1310nm
Reach	10km
Fiber	Single-mode (SMF)
Connector	LC duplex

02 ~ ETHERNET OPTICAL TRANSCEIVERS

10G ~ SFP+ & BIDI

10G and 25G optics for access, campus and single-fibre BiDi links.



10G · SFP+

10G SFP+ SR

Cisco-compatible · replaces SFP-...

P/N **TFX-00925**

Data rate	10G
Form factor	SFP+
Standard	SR
Wavelength	850nm
Reach	300m
Fiber	Multimode (MMF)
Connector	LC duplex



10G · SFP+

10G SFP+ LR

Cisco-compatible · replaces SFP-...

P/N **TFX-00920**

Data rate	10G
Form factor	SFP+
Standard	LR
Wavelength	1310nm
Reach	10km
Fiber	Single-mode (SMF)
Connector	LC duplex



10G · SFP+

10G SFP+ BiDi

Cisco-compatible

P/N **TFX-00837**

Data rate	10G
Form factor	SFP+
Standard	BiDi
Wavelength	1330 / 1270nm (TX/RX)
Reach	60km
Fiber	Single-mode (SMF)
Connector	LC simplex



25G · SFP28

25G SFP28 BiDi

Brocade-compatible · replaces 25...

P/N **TFX-00753**

Data rate	25G
Form factor	SFP28
Standard	BiDi
Wavelength	1270 / 1330nm (TX/RX)
Reach	10km
Fiber	Single-mode (SMF)
Connector	LC simplex

03

AOC & DAC ~ CABLES

Direct attach copper, active electrical and active optical cables, straight and breakout.

Active Optical Cables 17

DAC & AEC Cables 18

Breakout Cables 19

03 ~ AOC & DAC CABLES

ACTIVE OPTICAL ~ CABLES

Light, flexible AOCs for 400G links up to tens of metres, straight and cross-form-factor.



400G · QSFP-DD

400G QSFP-DD AOC

NVIDIA-compatible · replaces MFA1W00-W010

P/N **TFX-03322**

Type	**Active optical (AOC)**	Data rate	**400G**
Connectors	**QSFP-DD**	Ends	**Straight**
Length	**10 m · other lengths**	Protocol	**Ethernet**



400G · OSFP

400G OSFP to QSFP-DD AOC

NVIDIA-compatible

P/N **TFX-03318**

Type	**Active optical (AOC)**	Data rate	**400G**
Connectors	**OSFP → QSFP-DD**	Ends	**Straight**
Length	**10 m · other lengths**	Protocol	**Ethernet**



400G · QSFP112

400G QSFP112 to QSFP-DD AOC

NVIDIA-compatible

P/N **TFX-03320**

Type	**Active optical (AOC)**	Data rate	**400G**
Connectors	**QSFP112 → QSFP-DD**	Ends	**Straight**
Length	**10 m · other lengths**	Protocol	**Ethernet**

03 ~ AOC & DAC CABLES

DAC & AEC ~ CABLES

Direct attach and active electrical cables for 400G and 800G in-rack connections.



800G · OSFP

800G OSFP AEC

NVIDIA-compatible

P/N **TFX-03627**

Type	AEC
Data rate	800G
Connectors	OSFP
Ends	Straight
Length	2 m · other lengths
Protocol	Ethernet



800G · QSFP-DD

800G QSFP-DD AEC

Cisco-compatible

P/N **TFX-03592**

Type	AEC
Data rate	800G
Connectors	QSFP-DD
Ends	Straight
Length	2 m · other lengths



400G · QSFP-DD

400G QSFP-DD DAC

Multi-vendor compatible

P/N **TFX-03186**

Type	Passive DAC
Data rate	400G
Connectors	QSFP-DD
Ends	Straight
Length	1 m · other lengths



800G · OSFP

800G OSFP to 2x400G QSFP112 DAC

NVIDIA-compatible · replaces MC...

P/N **TFX-03637**

Type	Passive DAC
Data rate	800G
Connectors	OSFP → QSFP112
Ends	1-to-2 breakout
Length	2 m · other lengths
Protocol	Ethernet

03 ~ AOC & DAC CABLES

BREAKOUT ~ CABLES

Split one high-speed port into two or four lower-speed ports with copper or optical breakouts.



400G · OSFP

400G OSFP to 2x200G QSFP56 AOC

NVIDIA-compatible · replaces MF...

P/N **TFX-02931**

Type	**Active optical (AOC)**
Data rate	**400G**
Connectors	**OSFP → QSFP56**
Ends	**1-to-2 breakout**
Length	**50 m · other lengths**
Protocol	**InfiniBand**



400G · QSFP-DD

400G QSFP-DD to 2x200G QSFP56 DAC

NVIDIA-compatible

P/N **TFX-03137**

Type	**Passive DAC**
Data rate	**400G**
Connectors	**QSFP-DD → QSFP56**
Ends	**1-to-2 breakout**
Length	**0.5 m · other lengths**



200G · QSFP56

200G QSFP56 to 2x100G DAC

NVIDIA-compatible · replaces M...

P/N **TFX-03254**

Type	**Passive DAC**
Data rate	**200G**
Connectors	**QSFP56**
Ends	**1-to-2 breakout**
Length	**0.5 m · other lengths**
Protocol	**Ethernet**



100G · QSFP28

100G QSFP28 to 4x LC AOC

Extreme-compatible

P/N **TFX-03342**

Type	**Active optical (AOC)**
Data rate	**100G**
Connectors	**QSFP28 → LC**
Ends	**1-to-4 breakout**
Length	**15 m · other lengths**

04

FIBER & COPPER PATCH ~ CABLES

LC, MPO/MTP trunk and harness cabling plus copper patch cords.

Fiber Patch Cables 20

MPO/MTP Cabling 21

FIBER PATCH ~ CABLES

Duplex LC patch cables and MPO trunks in OM4 multimode and OS2 single-mode.



LC UPC

LC Duplex OM4 Patch Cable

Multi-vendor compatible

P/N **TFX-04480**

Fiber	**OM4 multimode**	Connectors	**LC UPC**
Fibers	**2**	Jacket	**Riser**
Length	**5 m · custom lengths**		



LC UPC

LC Duplex OS2 Patch Cable

Multi-vendor compatible

P/N **TFX-04482**

Fiber	**OS2 single-mode**	Connectors	**LC UPC**
Fibers	**2**	Jacket	**LSZH**
Length	**5 m · custom lengths**		



MPO-12 UPC

MPO-12 OM4 Trunk

Multi-vendor compatible

P/N **TFX-04526**

Fiber	**OM4 multimode**	Connectors	**MPO-12 UPC**
Fibers	**12**	Polarity	**Type B**
Jacket	**LSZH**	Length	**8 m · custom lengths**

04 ~ FIBER & COPPER PATCH CABLES

MPO/MTP ~ CABLING

Trunks, harnesses and breakouts for structured, high-density fibre cabling.



MTP-12 APC

MTP-12 OS2 Trunk

P/N **TFX-05237**

Multi-vendor compatible

Fiber	OS2 single-mode
Connectors	MTP-12 APC
Fibers	12
Polarity	Type B
Jacket	LSZH
Length	25 m · custom lengths



MTP-8 UPC / LC UPC

MTP-8 to 4x LC OM4 Harness

P/N **TFX-05284**

Multi-vendor compatible

Fiber	OM4 multimode
Connectors	MTP-8 UPC / LC UPC
Fibers	8
Polarity	Type B
Jacket	Plenum
Length	2 m · custom lengths



MPO-16 APC / MPO-8 UPC

MPO-16 to 2x MPO-8 OM4 Breakout

P/N **TFX-04506**

Multi-vendor compatible

Fiber	OM4 multimode
Connectors	MPO-16 APC / MPO-8 UPC
Polarity	Type B
Jacket	LSZH
Length	5 m · custom lengths



RJ45 · Cat6 / Cat6A

Cat6 / Cat6A RJ45 Patch Cords

P/N **On request**

Copper patch cords

Category	Cat6 / Cat6A U/UTP
Connectors	RJ45 to RJ45, snagless
Colours	Blue, grey and more
Length	Standard & custom

05 ~ CABINETS & RACKS

CABINETS & RACKS

19-inch cabinets and racks built by our manufacturing partner to your project. One example of each type is shown; sizes, doors and finishes are made to order.



Server rack

Perforated mesh doors for front-to-back airflow in server and GPU rows.



Network cabinet

Tempered glass front door for switching, patching and structured cabling.



Wall-mount cabinet

Compact cabinet for branch offices, floors and small network rooms.



Open frame rack

4-post open frame for labs, MDF/IDF rooms and easy cable access.



Outdoor cabinet

Weatherproof enclosure for telecom, edge and roadside equipment.

MADE TO ORDER

BUILT TO ~ YOUR PROJECT

Tell us the room, the equipment and the quantity. We quote the right configuration within 24 hours.

01

Sizes

Height in U, width and depth to match your equipment and room

02

Doors

Glass, mesh or solid steel; front and rear; lockable

03

Finish

Standard black or grey, or custom colours and branding

04

Accessories

PDUs, shelves, fan units, cable managers, blanking panels

TIFNEX™

TIFNEX. ~ MAKE IT FLOW.

READY TO BUILD ~ THE RIGHT NETWORK?

Tell us about your infrastructure requirements and our engineers will help you design the right connectivity solution, from a single module to a full data center deployment.

UAE

+971 54 300 8970

EGYPT

+20 122 238 8821

EMAIL

info@tifnex.com

WEB

tifnex.com